10/664,660

April 13, 2004

Assistant Commissioner of Patents

Washington, DC 20231

PROTEST UNDER 37 CFR 1.291(a)

Re: Methods and apparatus for an advertisement display service

using metadata

US File 20040064833

Filed: September 19, 2003

Sirs:

Recently I found the above referenced patent filing and believe this filing has NOT issued in the U.S. The US File # is 20040064833

I am voicing an objection as a concerned third party and as a U.S. Citizen. The patent filing describes at great length an advertising delivery system dependent upon a database maintained (0007) at the client level (Digital Television [DTV] Set in a client-server ad delivery system. (0002) (0007) The appropriate ads are selected through comparison of programs' metadata (keywords) with user profile database (0008) (0009) (0015) The ad databases are created at the DTV from a remote server (0007) and updated (0011) at the DTV. Selecting a channel (0015) or show on television, which is tantamount to placing a URL or keyword into a browser locator window, then makes a match with ad database (0009) data maintained at the computer DTV in the remotely controlled and updated database and in the event a match is made by matching (Claim 1) program metadata to the ad database or user profile that contains voluntary user actions (0015) an appropriate advertisement is displayed. This is referred to as "pull" advertising as voluntary actions on the part of a user interacts with a preestablished database and a targeted ad is displayed.

This embodiment is described in Claims 1, 3, 4, 7, 9, 10 and others. Basing ad display based upon program selection comparisons, profiles or other voluntary users' actions is no different than selecting a URL in a browser or Keyword in a search engine. Whether a cable TV network or the internet (Claim 3) or both, both are electronic communication networks. The system is described in (0002) (0007) (0008) (0009) (0011) (0015) and others.

The abstract reads, "Methods and apparatus for an advertisement display service using metadata is disclosed. The method for providing a selective advertisement display comprises constructing a user's preference for television programs; analyzing and filtering metadata of advertisements based on said user's preference; storing the selected advertisements on digital television;


analyzing metadata of a program viewed by the user when the user watches television; matching the metadata of the program with the metadata of advertisements stored; and providing the most related advertisement in the form of banner, based on the result of the matching. Thus, the present system can provide a targeting service corresponding to each user's tastes without leaking user's personal information, by storing advertisements corresponding to the user's tastes beforehand and, subsequently, providing the advertisements related to a program viewed by the user in the form of a banner."

I am objecting to this patent filing, as it is neither novel nor unique. It is of particular note that little prior art was supplied; little prior art was submitted with this filing correlating to the internet, also an electronic communication system, and only some broad references to server profiling systems. The filers are correct that a targeted system based on program selections, user profiles, metadata keywords or voluntary user actions is more accurate and excels in its ability to deliver "relevant" ads at the exact moment of interest. However, the filers did not include the following references:

- 1. US Patent 6,141,010 ... similar technology
- 2. Gator.com (recently changed to Claria.com) has been marketing such a system since 1998 or 1999
- 3. WO9955066 (A1) or EP1076983 (A1) ... similar technology

There may be more prior art preceding the 9/3/2003 filing. The prior art listed all precede any references contained in this Application including the Korea patent filing.

I believe the Examiner should look very closely at the Claims made and reject this patent filing.



Thirted States Patent Computer interface method and apparatus for providing an automatically upgradeable software application is a cresible from a server via the Internet and demographics and user interaction with the computer. The software application is a cresible from a server via the Internet and demographic information on the user is acquired by the server and used for determining what a particular banner is to be displayed. This includes the specification of certain program that were an an advertisement is a set of data that is used by the software application in determining when a particular banner is to be displayed. This includes the specification of certain program that the user an advertisement of a set program (but and say program gray may have so that, when the user runs program (cut has a spreadsheer program), and and extrement of the program contact of the program (cut has a spreadsheer program), and advertisement is a set of data that is used by the software application is determining what a particular banner is to be displayed. This includes the specification of certain programs that the user an advertisement is a set of data that is used by the software application in the determining when a particular banner is to be displayed. This includes the specification of certain programs that the user an advertisement for a stock these represents to not but program (cut the user as an advertisement for a stock the experience to not certain programs that the user as an advertisement of a stock the experience to the determining what accesses the server on occasion to determine if one or more components of the application need upgrading to a newer version. If so, the components are downloaded and installed without required any my not or action by the user.	Inited States Patent: 6,141,010 - Netscape		a the Alexander	COLOR STRUCT
Uspro Patent Full Text and Images Uspro Patent Full Text and Image Database Home Quick Advanced Pat Num View Cort Images United States Patent Hoyle Computer interface method and apparatus with targeted advertising Abstract A method and apparatus for providing an automatically upgradeable software application that includes targeted advertising based upon demographics and user interaction with the computer. The software application is a graphical user interface that includes a display region used for banner advertising that is downloaded from into to time over a network such as the Internet. The software application is accessible from a server via the Internet and demographic information on the user is acquired by the server and used for determining what a banner advertising will be sent to the user. The software application in the termining will be sent to the user. The software application in their targets the advertisements in esponse to normal user interaction, or use, of the computer. Associated with each banner advertisement as a set of data that is used by the software application in determining when a particular banner is to be displayed. This includes the specification of certain programs that the user may have so that, when the user runs the program (such as a spreadsheet program), an advertisement will be displayed that is relevant to that program (such as an advertisement for a tock brokerage). This provides two-tiered, real-time targeting of advertising—both demographically and reactively. The software application in real downloaded and installed to not components of the application of the description of the termining of advertising—both demographically and reactively. The software application in seven were an overcasion to determine if one or more components of the application need upgrading to a newer version. If so, the components are downloaded and installed	de Edit Yew Go Backmarks Looks Windo	· · · · · · · · · · · · · · · · · · ·		
USPTO PATENT FULL-TEXT AND IMAGE DATABASE Home		ark uspto gov/netacg/nph-Parser/Sect1=PT01/	&Sect2=HITOFF&d=PALL&p=1&u=/netehtml/stohnu	m Nmis=107 (Q Search) III (C)
USPTO PATENT FULL-TEXT AND IMAGE DATABASE Home Quick Advanced Pat Num Holp Bottom View Cort Add to Cort Images (I of 1) Abstract A method and apparatus for providing an automatically upgrade able software application that includes targeted advertising based upon demographics and user interaction with the computer. The software application is a graphical user interface that includes a display region used for banner advertising that is downloaded from me to time over a network such as the Internet. The software application is accessible from a server win the Internet and demographic information on the user is cquired by the server and used for determining what banner advertising will be sent to the user. The software application further targets the advertisements in esponse to normal user interaction, or use, of the computer. Associated with each banner advertisement is a set of data that is used by the software application in tetermining when a particular banner is to be displayed. This includes the specification of certain programs that the user may have so that, when the user runs the recogning (such as a appreadance program), an advertisement will be displayed that is relevant to that program (such as a appreadance). This recovery and the components of the application need upgrading to a newer version. If so, the components are downloaded and installed				
USPTO PATENT FULL-TEXT AND IMAGE DATABAGE Home Quick Advanced Pat Num Help Bottom View Cert Add to Cart Images (1 of 1) Computer interface method and apparatus with targeted advertising Abstract A method and apparatus for providing an automatically upgradeable software application that includes targeted advertising based upon demographics and user interaction with the computer. The software application is a graphical user interface that includes a display region used for banner advertising that is downloaded from me to time over a network such as the Internet. The software application is accessible from a server via the Internet and demographic information on the user is capired by the server and used for determining what banner advertising will be sent to the user. The software application further targets the advertisements in esponse to normal user interaction, or use, of the computer. Associated with each banner advertisement is a set of data that is used by the software application in eletermining when a particular banner is to be displayed. This includes the specification of certain programs that the user may have so that, when the user runs the recovered in the component of the computer will be displayed that is relevant to that programs (such as an advertisement for a stock brokerage). This recovides two-tiered, real-time targeting of advertising—both demographically and reactively. The software application includes programming that accesses the server in occasion to determine if one or more components of the application need upgrading to a newer version. If so, the components are downloaded and installed		ARE CONTROL DEBONIES CONTROL		
Home Quick Advanced Pat Num Holp Bottom View Cert Add to Cart Images (I all) United States Parent Hoyle October 31, 2000 Amethod and apparatus for providing an automatically upgradeable software application that includes targeted advertising based upon demographics and user neteration with the computer. The software application is a graphical user interface that includes a display region used for barmer advertising that is downloaded from the to time over a network such as the Internet. The software application is accessible from a server with the Internet and demographic information on the user is acquired by the server and used for determining what barmer advertising will be sent to the user. The software application in the terre in segons to normal user interaction, or use, of the computer. Associated with each banner advertisement is a set of data that is used by the software application in determining when a particular banner is to be displayed. This includes the specification of certain programs that the user may have so that, when the user runs the roorgam (such as a spreadcheet program), an advertisement will be displayed that is relevant to that program (such as a advertisement for a stock brokerage). This rovivides two-tiered, real-time targeting of advertising—both demographically and reactively. The software application includes programming that accesses the server an occasion to determine if one or more components of the application need upgrading to a newer version. If so, the components are downloaded and installed	- William Control of C			
United States Parent (1 of 1) United States Parent (1 of 1) (2 of 1) (3 of 1) (4 of 1) (4 of 1) (5 of 1) (6 of 1) (6 of 1) (7 of 1) (8 of 1) (9 of 1) (1	<u>u</u>	SPTO PATENT FULL-TED	KT AND IMAGE DATABASE	
United States Parent (I of 1) (I of 1) (I of 2) (I of 3) (I of 4) (I of 5) (I of 4) (I of 4) (I of 5) (I of 6) (I o		Home Quick Adva	nced Pat Num Help	
United States Parent A method and apparatus for providing an automatically upgradeable software application that includes targeted advertising based upon demographics and user neteration with the computer. The software application is a graphical user interface that includes a display region used for banner advertising that is downloaded from the to time over a network such as the Internet. The software application is accessible from a server via the Internet and demographic information on the user is acquired by the server and used for determining what banner advertising will be sent to the user. The software application further targets the advertisements in response to normal user interaction, or use, of the computer. Associated with each banner advertisement is a set of data that is used by the software application in tetermining when a particular banner is to be displayed. This includes the specification of certain program (such as an advertisement for a stock brokerage). This provides two-tiered, real-time targeting of advertising—both demographically and reactively. The software application includes programming that accesses the server has occasion to determine if one or more components of the application need upgrading to a newer version. If so, the components are downloaded and installed		C C C C C C C C C C C C C C C C C C C	town .	
United States Parent A method and apparatus for providing an automatically upgradeable software application that includes targeted advertising based upon demographics and user interaction with the computer. The software application is a graphical user interface that includes a display region used for barner advertising that is downloaded from time to time over a network such as the Internet. The software application is accessible from a server via the Internet and demographic information on the user is acquired by the server and used for determining what barner advertising will be sent to the user. The software application in the transparent targets the advertisements in seponse to normal user interaction, or use, of the computer. Associated with each barner advertisement is a set of data that is used by the software application in determining when a particular barner is to be displayed. This includes the specification of certain programs that the user may have so that, when the user runs the overgram (such as a spreadsheet program), an advertisement will be displayed that is relevant to that program (such as an advertisement for a stock brokerage). This provides two-thered, real-time targeting of advertising—both demographically and reactively. The software application includes programing that accesses the server on occasion to determine if one or more components of the application need upgrading to a newer version. If so, the components are downloaded and installed				
United States Parent 6,141,016 Computer interface method and apparatus with targeted advertising Abstract A method and apparatus for providing an automatically upgradeable software application that includes targeted advertising based upon demographics and user interaction with the computer. The software application is a graphical user interface that includes a display region used for barner advertising that is downloaded from time to time over a network such as the Internet. The software application is accessible from a server via the Internet and demographic information on the user is acquired by the server and used for determining what barner advertising will be sent to the user. The software application further targets the advertisements in response to normal user interaction, or use, of the computer. Associated with each barner advertisement is a set of data that is used by the software application in determining when a particular barner is to be displayed. This includes the specification of certain programs that the user may have so that, when the user runs the overgram (such as a a spreadsheet program), an advertisement will be displayed that is relevant to that program (such as an advertisement for a stock brokerage). This provides two-tiered, real-time targeting of advertising—both demographically and reactively. The software application includes programming that accesses the server on occasion to determine if one or more components of the application need upgrading to a newer version. If so, the components are downloaded and installed		View Cart	Add to Cart	
United States Parent A method and apparatus for providing an automatically upgradeable software application that includes targeted advertising based upon demographics and user interaction with the computer. The software application is a graphical user interface that includes a display region used for barner advertising that is downloaded from time to time over a network such as the Internet. The software application is accessible from a server via the Internet and demographic information on the user is acquired by the server and used for determining what barner advertising will be sent to the user. The software application further targets the advertisements in response to normal user interaction, or use, of the computer. Associated with each barner advertisement is a set of data that is used by the software application in determining when a particular barner is to be displayed. This includes the specification of certain programs that the user may have so that, when the user runs the orogram (such as a spreadsheet program), an advertisement will be displayed that is relevant to that program (such as an advertisement for a stock brokerage). This provides two-tiered, real-time targeting of advertising—both demographically and reactively. The software application includes programming that accesses the server on occasion to determine if one or more components of the application need upgrading to a newer version. If so, the components are downloaded and installed		Ima	ages .	
A method and apparatus for providing an automatically upgradeable software application that includes targeted advertising based upon demographics and user interaction with the computer. The software application is a graphical user interface that includes a display region used for barner advertising that is downloaded from time to time over a network such as the Internet. The software application is accessible from a server via the Internet and demographic information on the user is acquired by the server and used for determining what barner advertising will be sent to the user. The software application further targets the advertisements in response to normal user interaction, or use, of the computer. Associated with each barner advertisement is a set of data that is used by the software application in determining when a particular barner is to be displayed. This includes the specification of certain programs that the user may have so that, when the user runs the program (such as a spreadsheet program), an advertisement will be displayed that is relevant to that program (such as an advertisement for a stock brokerage). This provides two-tiered, real-time targeting of advertising—both demographically and reactively. The software application includes programming that accesses the server on occasion to determine if one or more components of the application need upgrading to a newer version. If so, the components are downloaded and installed				(1 41)
A method and apparatus for providing an automatically upgradeable software application that includes targeted advertising based upon demographics and user interaction with the computer. The software application is a graphical user interface that includes a display region used for barner advertising that is downloaded from time to time over a network such as the Internet. The software application is accessible from a server via the Internet and demographic information on the user is acquired by the server and used for determining what barner advertising will be sent to the user. The software application further targets the advertisements in response to normal user interaction, or use, of the computer. Associated with each barner advertisement is a set of data that is used by the software application in determining when a particular barner is to be displayed. This includes the specification of certain programs that the user may have so that, when the user runs the overgram (such as a spreadsheet program), an advertisement will be displayed that is relevant to that program (such as an advertisement for a stock brokerage). This provides two-tiered, real-time targeting of advertising—both demographically and reactively. The software application includes programming that accesses the server on occasion to determine if one or more components of the application need upgrading to a newer version. If so, the components are downloaded and installed		The state of the s	and the second s	
Abstract A method and apparatus for providing an automatically upgradeable software application that includes targeted advertising based upon demographics and user interaction with the computer. The software application is a graphical user interface that includes a display region used for barner advertising that is downloaded from time to time over a network such as the Internet. The software application is accessible from a server via the Internet and demographic information on the user is acquired by the server and used for determining what barner advertising will be sent to the user. The software application further targets the advertisements in response to normal user interaction, or use, of the computer. Associated with each barner advertisement is a set of data that is used by the software application in determining when a particular barner is to be displayed. This includes the specification of certain programs that the user may have so that, when the user runs the orogram (such as a spreadsheet program), an advertisement will be displayed that is relevant to that program (such as an advertisement for a stock brokerage). This provides two-tiered, real-time targeting of advertising—both demographically and reactively. The software application includes programming that accesses the server on occasion to determine if one or more components of the application need upgrading to a newer version. If so, the components are downloaded and installed	nited States Patent			• •
A method and apparatus for providing an automatically upgradeable software application that includes targeted advertising based upon demographics and user interaction with the computer. The software application is a graphical user interface that includes a display region used for banner advertising that is downloaded fron time to time over a network such as the Internet. The software application is accessible from a server via the Internet and demographic information on the user is acquired by the server and used for determining what banner advertising will be sent to the user. The software application further targets the advertisements in response to normal user interaction, or use, of the computer. Associated with each banner advertisement is a set of data that is used by the software application in determining when a particular banner is to be displayed. This includes the specification of certain programs that the user may have so that, when the user runs the program (such as a spreadsheet program), an advertisement will be displayed that is relevant to that program (such as an advertisement for a stock brokerage). This provides two-thered, real-time targeting of advertising—both demographically and reactively. The software application includes programming that accesses the server on occasion to determine if one or more components of the application need upgrading to a newer version. If so, the components are downloaded and installed	ioyle			October 31, 2000
Abstract A method and apparatus for providing an automatically upgradeable software application that includes targeted advertising based upon demographics and user interaction with the computer. The software application is a graphical user interface that includes a display region used for banner advertising that is downloaded from time to time over a network such as the Internet. The software application is accessible from a server via the Internet and demographic information on the user is acquired by the server and used for determining what banner advertising will be sent to the user. The software application further targets the advertisements in response to normal user interaction, or use, of the computer. Associated with each banner advertisement is a set of data that is used by the software application in determining when a particular banner is to be displayed. This includes the specification of certain programs that the user may have so that, when the user runs the program (such as a spreadsheet program), an advertisement will be displayed that is relevant to that program (such as an advertisement for a stock brokerage). This provides two-tiered, real-time targeting of advertising—both demographically and reactively. The software application includes programming that accesses the server on occasion to determine if one or more components of the application need upgrading to a newer version. If so, the components are downloaded and installed	mounter interface method and ann	ratus with targeted advertising		
A method and apparatus for providing an automatically upgradeable software application that includes targeted advertising based upon demographics and user interaction with the computer. The software application is a graphical user interface that includes a display region used for banner advertising that is downloaded from time to time over an network such as the Internet. The software application is accessible from a server via the Internet and demographic information on the user is acquired by the server and used for determining what banner advertising will be sent to the user. The software application further targets the advertisements in response to normal user interaction, or use, of the computer. Associated with each banner advertisement is a set of data that is used by the software application in determining when a particular banner is to be displayed. This includes the specification of certain programs that the user may have so that, when the user runs the program (such as a spreadsheet program), an advertisement will be displayed that is relevant to that program (such as an advertisement for a stock brokerage). This provides two-tiered, real-time targeting of advertising—both demographically and reactively. The software application includes programming that accesses the server on occasion to determine if one or more components of the application need upgrading to a newer version. If so, the components are downloaded and installed	ompores and and and are are			
nteraction with the computer. The software application is a graphical user interface that includes a display region used for barner advertising that is downloaded from ime to time over a network such as the Internet. The software application is accessible from a server via the Internet and demographic information on the user is acquired by the server and used for determining what barner advertising will be sent to the user. The software application further targets the advertisements in response to normal user interaction, or use, of the computer. Associated with each banner advertisement is a set of data that is used by the software application in determining when a particular banner is to be displayed. This includes the specification of certain programs that the user may have so that, when the user runs the program (such as a spreadsheet program), an advertisement will be displayed that is relevant to that program (such as an advertisement for a stock brokerage). This provides two-tiered, real-time targeting of advertising—both demographically and reactively. The software application includes programming that accesses the server on occasion to determine if one or more components of the application need upgrading to a newer version. If so, the components are downloaded and installed		Abs	tract	
ime to time over a network such as the Internet. The software application is accessible from a server via the Internet and demographic information on the user is acquired by the server and used for determining what banner advertising will be sent to the user. The software application further targets the advertisements in response to normal user interaction, or use, of the computer. Associated with each banner advertisement is a set of data that is used by the software application in determining when a particular banner is to be displayed. This includes the specification of certain programs that the user may have so that, when the user runs the program (such as a spreadsheet program), an advertisement will be displayed that is relevant to that program (such as an advertisement for a stock brokerage). This provides two-tiered, real-time targeting of advertising—both demographically and reactively. The software application includes programming that accesses the server on occasion to determine if one or more components of the application need upgrading to a newer version. If so, the components are downloaded and installed	method and apparatus for providing an a	tomatically upgradeable software appl	lication that includes targeted advertising	based upon demographics and user
acquired by the server and used for determining what banner advertising will be sent to the user. The software application further targets the advertisements in esponse to normal user interaction, or use, of the computer. Associated with each banner advertisement is a set of data that is used by the software application in letermining when a particular banner is to be displayed. This includes the specification of certain programs that the user may have so that, when the user runs the overgram (such as a spreadsheet program), an advertisement will be displayed that is relevant to that program (such as an advertisement for a stock brokerage). This provides two-tiered, real-time targeting of advertising—both demographically and reactively. The software application includes programming that accesses the server on occasion to determine if one or more components of the application need upgrading to a newer version. If so, the components are downloaded and installed	teraction with the computer. The software	application is a graphical user interface	shile from a server via the Internet and d	emographic information on the user is
esponse to normal user interaction, or use, of the computer. Associated with each banner advertisement is a set of data that is used by the software application in letermining when a particular banner is to be displayed. This includes the specification of certain programs that the user may have so that, when the user runs the program (such as a spreadsheet program), an advertisement will be displayed that is relevant to that program (such as an advertisement for a stock brokerage). This provides two-tiered, real-time targeting of advertising—both demographically and reactively. The software application includes programming that accesses the server be occasion to determine if one or more components of the application need upgrading to a newer version. If so, the components are downloaded and installed	mired by the server and used for determined	ning what banner advertising will be sen	nt to the user. The software application for	in ther targets the advertisements in
orogram (such as a spreadsheet program), an advertisement will be displayed that is relevant to that program (such as an advertisement for a stock brokerage). This provides two-tiered, real-time targeting of advertising—both demographically and reactively. The software application includes programming that accesses the server on occasion to determine if one or more components of the application need upgrading to a newer version. If so, the components are downloaded and installed	sponse to normal user interaction, or use.	of the computer. Associated with each	banner advertisement is a set of data the	at is used by the software application in
provides two-tiered, real-time targeting of advertisingboth demographically and reactively. The software application includes programming that accesses the server on occasion to determine if one or more components of the application need upgrading to a newer version. If so, the components are downloaded and installed	etermining when a particular banner is to b	e displayed. This includes the specifical	tion of certain programs that the user may	y nave so man, when the user runs the duertisement for a stock brokerage). This
on occasion to determine if one or more components of the application need upgrading to a newer version. If so, the components are downloaded and installed	ogram (such as a spreadsheet program),	m advertisement will be displayed that the displayed the displayed that the displayed tha	reactively. The software application inclu	des programming that accesses the server
	Ovides two-detect, tear-mine targeting of a	nponents of the application need upgra	ading to a newer version. If so, the comp	onents are downloaded and installed
	I DECASION TO GETERMINE II ONE OF MORE CO.			

